







ELEMENT SPECS					
PART NUMBER	AC10				
MATERIAL	Activated Carbon				
FLOW RATE	35 CFM	59 m³/hr			
SURFACE AREA	1.1 ft ²	0.1 m ²			
I.D.	N/A	N/A			
O.D.	4.00"	102mm			
HEIGHT	1.38"	35mm			

ELEMENT SPECS				
PART NUMBER	PSG725			
MATERIAL	Coalescing			
FLOW RATE	15 CFM	25 m³/hr		
SURFACE AREA	0.5 ft ²	0.0 m ²		
I.D.	1.50"	38mm		
O.D.	3.00"	76mm		
HEIGHT	3.81"	97mm		

MODEL #: DSV-PSG725/AC10-NW25

MODEL NUMBER: DSV-PSG725/AC10-NW25

DESCRIPTION: DSV-PSG725/AC10-NW25, WHITE

FINISH: WHITE PAINT

MATERIAL: CARBON STEEL

SHEET: 1 OF 1

SOLBERG® Filtration • Separation • Silencing 630.773.1363 • www.solbergmfg.com

THE INFORMATION CONTAINED HEREIN IS CONFIDENTIAL AND THE PROPERTY OF SOLBERG MANUFACTURING INC.
AND IT IS FURNISHED TO YOU WITH THE EXPRESS UNDERSTANDING THAT IT WILL NOT BE REPRODUCED, COPIED IN ANY MANNER, LOANED OR OTHERWISE
TRANSFERRED TO OTHERS ENTIRELY OR IN PART, NOR USED FOR ANY PURPOSE OTHER THAN FOR WHICH IT WAS FURNISHED. IT WILL BE RETURNED UPON REQUEST TO SOLBERG MANUFACTURING INC. THE ABOVE RESTRICTION IS IN ADDITION TO, AND DOES NOT IN ANY WAY ALTER, ANY OTHER RESTRICTIONS WHICH MAY APPLY TO THE INFORMATION CONTAINED HEREIN.

DIMENSIONS ARE FOR REFERENCE ONLY.

ALL DIMENSIONS ARE SUBJECT TO CHANGE UPON PRODUCTION.

TOLERANCES

UNLESS OTHERWISE SPECIFIED:
-DIMENSIONS ARE IN INCHES
-REF: APPROXIMATE DIMENSIONS, NO TOLERANCES APPLY
-FINISH: BREAK EDGES TO .005-.020 RADIUS/CHAMFER

RWISE SPECIFIED:	
IN INCHES	PROJECT:

ECT:	DRAWN BY: NAD	APPROVED BY: MJC	REV:
	DATE : 11/2/2017	DATE : 11/2/2017	Α