





THE INFORMATION CONTAINED HEREIN IS CONFIDENTIAL AND THE PROPERTY OF SOLBERG MANUFACTURING INC. AND IT IS FURNISHED TO YOU WITH THE EXPRESS UNDERSTANDING THAT IT WILL NOT BE REPRODUCED, COPIED IN ANY MANNER, LOANED OR OTHERWISE TRANSFERRED TO OTHERS ENTIRELY OR IN PART, NOR USED FOR ANY PURPOSE OTHER THAN FOR WHICH IT WAS FURNISHED. IT WILL BE RETURNED UPON REQUEST TO SOLBERG MANUFACTURING INC. THE ABOVE RESTRICTION IS IN ADDITION TO, AND DOES NOT IN ANY WAY ALTER, ANY OTHER RESTRICTIONS WHICH MAY APPLY TO THE INFORMATION CONTAINED HEREIN.

## TOLERANCES

DIMENSIONS ARE FOR REFERENCE ONLY. ALL DIMENSIONS ARE SUBJECT TO CHANGE UPON PRODUCTION.

UNLESS OTHERWISE SPECIFIED: -DIMENSIONS ARE IN INCHES -REF: APPROXIMATE DIMENSIONS, NO TOLERANCES APP -FINISH: BREAK EDGES TO .005-.020 RADIUS/CHAMFER



		ELEMENT SPECS					
	PART NUMBER 231P			231P			
			MATERIAL	POLYESTER			
		FLOW RATE	300 CFM	509 m³/hr			
		SURFACE AREA	4.8 ft <sup>2</sup>	0.4 m <sup>2</sup>			
			I.D.	3.63"	92mm		
			0.D.	5.75"	146	mm	
			HEIGHT	9.50"	241	.mm	
	MODEL #: F-231P-201	MATERI	AL: CARBON STEEL	FINISH: GRAY POWDER			
	MODEL NUMBER: F-231P-201				<b>SHE</b> 1 0		
θE	DESCRIPTION: F-231P-201, GRAY						
APPLY R	PROJECT:	DRAW	NBY: NAD	APPROVED BY: EZR			REV:
		DATE:	1/20/2020	<b>DATE:</b> 1/20/2020			