




REV	DESCRIPTION	ECN #	CHG BY	DATE	APP'D
A	UPDATED FLANGE CALL OUT	-	RWK	10/01/19	NAS



ELEMENT SPECS		
PART NUMBER	275P	
MATERIAL	Polyester	
FLOW RATE	1100 CFM	1869 m³/hr
SURFACE AREA	19.0 ft²	1.8 m²
I.D.	8.00"	203mm
O.D.	11.75"	298mm
HEIGHT	9.63"	245mm

MODEL #: F-275P-500F		MATERIAL: CARBON STEEL		FINISH: GRAY POWDER	
MODEL NUMBER: F-275P-500F					SHEET: 1 OF 1
DESCRIPTION: F-275P-500F, GRAY					
PROJECT:		DRAWN BY: NAD DATE: 2/9/2017		APPROVED BY: EZR DATE: 2/9/2017	
				REV: A	



SOLBERG®
Filtration • Separation • Silencing
 630.773.1363 • www.solbergmfg.com

THE INFORMATION CONTAINED HEREIN IS CONFIDENTIAL AND THE PROPERTY OF SOLBERG MANUFACTURING INC. AND IT IS FURNISHED TO YOU WITH THE EXPRESS UNDERSTANDING THAT IT WILL NOT BE REPRODUCED, COPIED IN ANY MANNER, LOANED OR OTHERWISE TRANSFERRED TO OTHERS ENTIRELY OR IN PART, NOR USED FOR ANY PURPOSE OTHER THAN FOR WHICH IT WAS FURNISHED. IT WILL BE RETURNED UPON REQUEST TO SOLBERG MANUFACTURING INC. THE ABOVE RESTRICTION IS IN ADDITION TO, AND DOES NOT IN ANY WAY ALTER, ANY OTHER RESTRICTIONS WHICH MAY APPLY TO THE INFORMATION CONTAINED HEREIN.

TOLERANCES
 DIMENSIONS ARE FOR REFERENCE ONLY. ALL DIMENSIONS ARE SUBJECT TO CHANGE UPON PRODUCTION.
 UNLESS OTHERWISE SPECIFIED:
 -DIMENSIONS ARE IN INCHES
 -REF: APPROXIMATE DIMENSIONS, NO TOLERANCES APPLY
 -FINISH: BREAK EDGES TO .005-.020 RADIUS/CHAMFER