





31.9 [812 r				
<u></u>	6.13 [156 mm]	.50 [13 mm]	24" ANSI FLA OUTLE	ANGE,

		<b>ELEMENT SPECS</b>	
	PART NUMBER		491
$\wedge$	MATERIAL	PO	LYESTER
A	FLOW RATE	8000 CFM	13592 m³/hr
	SURFACE AREA	140.9 ft <sup>2</sup>	13.1 m <sup>2</sup>
	I.D.	22.25"	565mm
	O.D.	27.88"	708mm
	HEIGHT	22.07"	561mm

FINISH: GRAY POWDER

SOLBERG  Filtration • Separation • Silencing 630.773.1363 • www.solbergmfg.com	3)
--	----

THE INFORMATION CONTAINED HEREIN IS CONFIDENTIAL AND THE PROPERTY OF SOLBERG MANUFACTURING INC. AND IT IS FURNISHED TO YOU WITH THE EXPRESS UNDERSTANDING THAT IT WILL NOT BE REPRODUCED, COPIED IN ANY MANNER, LOANED OR OTHERWISE TRANSFERRED TO OTHERS ENTIRELY OR IN PART, NOR USED FOR ANY PURPOSE OTHER THAN FOR WHICH IT WAS FURNISHED. IT WILL BE RETURNED UPON REQUEST TO SOLBERG MANUFACTURING INC. THE ABOVE RESTRICTION IS IN ADDITION TO, AND DOES NOT IN ANY WAY ALTER, ANY OTHER RESTRICTIONS WHICH MAY APPLY TO THE INFORMATION CONTAINED HEREIN.

TO LERANCES

DIMENSIONS ARE FOR REFERENCE ALL DIMENSIONS ARE SUBJECT TO UPON PRODUCTION.

UNLESS OTHERWISE SPECIFIED:
-DIMENSIONS ARE IN INCHES
-REF: APPROXIMATE DIMENSIONS, NO TOLI -FINISH: BREAK EDGES TO .005-.020 RADIUS

DIMENSIONS ARE FOR REFERENCE ONLY. ALL DIMENSIONS ARE SUBJECT TO CHANGE

UNLESS OTHERWISE SPECIFIED.
-DIMENSIONS ARE IN INCHES
-REF: APPROXIMATE DIMENSIONS, NO TOLERANCES APPL
-FINISH: BREAK EDGES TO .005020 RADIUS/CHAMFER

MODEL NUMBER: F-491-2400F	SHEET:
WIODEL NOWBER. F-491-2400F	1 OF 1

MATERIAL: CARBON STEEL

DESCRIPTION: F-491-2400F, GRAY	

**MODEL #:** F-491-2400F

PROJECT:	DRAWN BY: CRW	APPROVED BY: MC	REV:
SD10404	<b>DATE</b> : 7/12/2010	<b>DATE</b> : 7/12/2010	Α