





ELEMENT SPECS			
PART NUMBER	31P		
MATERIAL	POLYESTER		
FLOW RATE	195 CFM	332 m³/hr	
SURFACE AREA	2.3 ft ²	0.2 m ²	
I.D.	3.63"	92mm	
O.D.	5.75"	146mm	
HEIGHT	4.88"	124mm	

FINISH: GRAY POWDER

REV:

sm;	SOL <i>Filtration</i> • <i>S</i> 630.773.1363	BE Separation • www.solbo	RG® • Silencing ergmfg.com
-----	--	---------------------------------	----------------------------

THE INFORMATION CONTAINED HEREIN IS CONFIDENTIAL AND THE PROPERTY OF SOLBERG MANUFACTURING INC. AND IT IS FURNISHED TO YOU WITH THE EXPRESS UNDERSTANDING THAT IT WILL NOT BE REPRODUCED, COPIED IN ANY MANNER, LOANED OR OTHERWISE TRANSFERRED TO OTHERS ENTIRELY OR IN PART, NOR USED FOR ANY PURPOSE OTHER THAN FOR WHICH IT WAS ELIBBILED IN DON DECOLEST. WAS FURNISHED. IT WILL BE RETURNED UPON REQUEST TO SOLBERG MANUFACTURING INC. THE ABOVE RESTRICTION IS IN ADDITION TO, AND DOES NOT IN ANY WAY ALTER, ANY OTHER RESTRICTIONS WHICH MAY APPLY TO THE INFORMATION CONTAINED HEREIN.

TOLERANCES

DIMENSIONS ARE FOR REFERENCE ONLY. ALL DIMENSIONS ARE SUBJECT TO CHANGE **UPON PRODUCTION.**

UNLESS OTHERWISE SPECIFIED:
-DIMENSIONS ARE IN INCHES
-REF: APPROXIMATE DIMENSIONS, NO TOLERANCES APPLY
-FINISH: BREAK EDGES TO .005-.020 RADIUS/CHAMFER

	ODEL NUMBER: FS-31P-251		SHEET
INIODE	MODEL NOMBER: 13-317-231		1 OF
	·	 ·	

MATERIAL: CARBON STEEL

DESCRIPTION: FS-31P-251, GRAY

MODEL #: FS-31P-251

PROJECT: **APPROVED BY:** EZR DRAWN BY: NAD **DATE:** 10/16/2019 **DATE:** 10/16/2019