





ELEMENT SPECS				
PART NUMBER	275P			
MATERIAL	POLYESTER			
FLOW RATE	1100 CFM	1869 m³/hr		
SURFACE AREA	19.8 ft²	1.8 m <sup>2</sup>		
I.D.	8.00"	203mm		
O.D.	11.75"	298mm		
HEIGHT	9.68"	246mm		

FINISH: GRAY POWDER

SOLBERG®	AND THE F AND IT IS F UNDERSTA COPIED IN TRANSFEF USED FOR
Filtration • Separation • Silencing 630.773.1363 • www.solbergmfg.com	WAS FURN TO SOLBE RESTRICT WAY ALTE

THE INFORMATION CONTAINED HEREIN IS CONFIDENTIAL AND THE PROPERTY OF SOLBERG MANUFACTURING INC. AND IT IS FURNISHED TO YOU WITH THE EXPRESS UNDERSTANDING THAT IT WILL NOT BE REPRODUCED, IN ANY MANNER, LOANED OR OTHERWISE FERRED TO OTHERS ENTIRELY OR IN PART, NOR OR ANY PURPOSE OTHER THAN FOR WHICH IT IRNISHED. IT WILL BE RETURNED UPON REQUEST BERG MANUFACTURING INC. THE ABOVE RICTION IS IN ADDITION TO, AND DOES NOT IN ANY RESTRICTION IS IN ADDITION TO, AND DOES NOT IT AND WAY ALTER, ANY OTHER RESTRICTIONS WHICH MAY APPLY TO THE INFORMATION CONTAINED HEREIN.

## **TOLERANCES**

DIMENSIONS ARE FOR REFERENCE ONLY. ALL DIMENSIONS ARE SUBJECT TO CHANGE **UPON PRODUCTION.** 

UNLESS OTHERWISE SPECIFIED:
-DIMENSIONS ARE IN INCHES
-REF: APPROXIMATE DIMENSIONS, NO TOLERANCES APPLY
-FINISH: BREAK EDGES TO .005-.020 RADIUS/CHAMFER

MODEL NUMBER: FT-275P-DN150		SHEET:
WIODEL NUMBER: F1-2/3P-DN130		1 OF 1

MATERIAL: CARBON STEEL

**DESCRIPTION:** FT-275P-DN150, GRAY

**MODEL #:** FT-275P-DN150

PROJECT:	DRAWN BY: LJS	APPROVED BY: EZR	REV:
	<b>DATE</b> : 3/23/2020	<b>DATE</b> : 3/30/2020	