







ELEMENT SPECS					
PART NUMBER	UL8450				
MATERIAL	ULPA				
FLOW RATE	13 CFM	22 m³/hr			
SURFACE AREA	1.3 ft ²	0.1 m ²			
I.D.	1.50"	38mm			
O.D.	2.54"	65mm			
HEIGHT	4.47"	114mm			

AND THE PROPE
AND IT IS FURNI
UNDERSTANDIN
COPIED IN ANY I
TRANSFERRED T
USED FOR ANY
WAS FURNISHED
TO SOLBERG MA

THE INFORMATION CONTAINED HEREIN IS CONFIDENTIAL PERTY OF SOLBERG MANUFACTURING INC. NISHED TO YOU WITH THE EXPRESS NG THAT IT WILL NOT BE REPRODUCED, MANNER, LOANED OR OTHERWISE TO OTHERS ENTIRELY OR IN PART, NOR PURPOSE OTHER THAN FOR WHICH IT HED. IT WILL BE RETURNED UPON REQUEST MANUFACTURING INC. THE ABOVE RESTRICTION IS IN ADDITION TO, AND DOES NOT IN ANY WAY ALTER, ANY OTHER RESTRICTIONS WHICH MAY APPLY TO THE INFORMATION CONTAINED HEREIN.

TOLERANCES

DIMENSIONS ARE FOR REFERENCE ONLY. ALL DIMENSIONS ARE SUBJECT TO CHANGE **UPON PRODUCTION.**

UNLESS OTHERWISE SPECIFIED:

-DIMENSIONS ARE IN INCHES
-REF: APPROXIMATE DIMENSIONS, NO TOLERANCES APPLY
-FINISH: BREAK EDGES TO .005-.020 RADIUS/CHAMFER

	MODEL #: HV-UL8450-076C	MATERIAL: CAST ALUM/POLYCARB	FINISH: NONE	
MODEL NUMBER: HV-UL8450-076C				SHEET:
	WODEL NOWBER: 110-020430-0700			1 OF 1

DESCRIPTION: HV-UL8450-076C, BOTTLE BALL VALVE, PD GAUGE

PROJECT:	DRAWN BY: EPC	APPROVED BY: JSR	RE
	DATE : 4/2/2024	DATE : 4/4/2024	

