





ELEMENT SPECS				
PART NUMBER	850/1			
MATERIAL	PAPER			
FLOW RATE	290 CFM	493 m³/hr		
SURFACE AREA	13.1 ft²	1.2 m ²		
I.D.	3.50"	89mm		
O.D.	5.88"	149mm		
HEIGHT	8.61"	219mm		

THE INFORMATION CONTAINED HEREIN IS CONFIDENTIAL
AND THE PROPERTY OF SOLBERG MANUFACTURING INC.
AND IT IS FURNISHED TO YOU WITH THE EXPRESS
UNDERSTANDING THAT IT WILL NOT BE REPRODUCED,
COPIED IN ANY MANNER, LOANED OR OTHERWISE
TRANSFERRED TO OTHERS ENTIRELY OR IN PART, NOR
USED FOR ANY PURPOSE OTHER THAN FOR WHICH IT
WAS FURNISHED. IT WILL BE RETURNED UPON REQUEST
TO SOLBERG MANUFACTURING INC. THE ABOVE
RESTRICTION IS IN ADDITION TO, AND DOES NOT IN ANY
MANA ALTED ANN OTHER RECTRICTIONS MURICULARAY

WAY ALTER, ANY OTHER RESTRICTIONS WHICH MAY APPLY TO THE INFORMATION CONTAINED HEREIN.

SOLBERG®

Filtration • Separation • Silencing 630.773.1363 • www.solbergmfg.com

TOLERANCES

DIMENSIONS ARE FOR REFERENCE ONLY. ALL DIMENSIONS ARE SUBJECT TO CHANGE **UPON PRODUCTION.**

	MODEL #: ST-850/1-201C	MATERIAL: CAST ALUMINUM/POLYCARBONATE	FINISH: NONE	
	MODEL NUMBER: ST-850/1-201C		SHEE 1 OF	
DESCRIPTION: ST-850/1-201C, CLEAR BUCKET				

т	UNLESS OTHERWISE SPECIFIED:				
	-DIMENSIONS ARE IN INCHES -REF: APPROXIMATE DIMENSIONS. NO TOLERANCES APPLY	PROJECT:	DRAWN BY: CRW	APPROVED BY: M.C.	RE
	-FINISH: BREAK EDGES TO .005020 RADIUS/CHAMFER		DATE : 6/11/2015	DATE : 6/11/2015	